

www.farmgov.com

23600 Liberty Street
Farmington, Michigan 48335



Office of Building Official

Telephone 2248-474-5500
Fax: 248-471-7261

Roofing Inspection Requirements; Property Address: _____

In order to schedule a final inspection

- 1). All permit holders should schedule a rough inspection on the day the roof is to be started.
The inspector needs to inspect roof board or plywood replacement over 32 Sq Ft.
(remember all replacement Ply of boards must be equal to or greater than three rafters)
- 2). Ice and Watershield or equivalent must be placed along the lowest portion of roof surfaces to a point 24" inside the exterior wall line in compliance with article 9 of the MRC.
- 3). Roof Venting must comply with the provisions of Article 8 of the MRC.

The following must be provided to obtain a final inspection:

For each individual attic area provide:

Area 1

SQ Footage of Area 1 _____ SQ FT

Choose One or if Mixed provide sketch of roof showing areas of each.

___ **Calculated at 1 / 150**

or

___ **Calculated at 1 / 300**

SQ Footage of CAN Vents or RIDGE Vents provided
SQ FT Provided _____

Are Gable End Vent Existing ___ Yes ___ No
If Yes; Are they closed off now ___ Yes ___ No

Area 2 (if applicable)

SQ Footage of Area 1 _____ SQ FT

___ **Calculated at 1 / 150**

SQ Footage of CAN Vents or RIDGE Vents provided
SQ FT Provided _____

Are Gable End Vent Existing ___ Yes ___ No
If Yes; Are they closed off now ___ Yes ___ No

Sq Footage of Soffit or Intake Venting
SQ FT Provided or Existing _____

SQ Footage of CAN Vents or RIDGE Vents provided
SQ FT Provided _____

Are Gable End Vent Existing ___ Yes ___ No
If Yes; Are they closed off now ___ Yes ___ No

___ **Calculated at 1 / 300**

Sq Footage of Soffit or Intake Venting
SQ FT Provided or Existing _____

SQ Footage of CAN Vents or RIDGE Vents provided
SQ FT Provided _____

Are Gable End Vent Existing ___ Yes ___ No
If Yes; Are they closed off now ___ Yes ___ No